




**Docril**<sup>®</sup>  
solution dyed acrylic

- 100% solution-dyed acrylic.
- Blocks up to 90% of UV rays.
- Unbeatable dimensional stability.
- An extensive range of colours.

Docril is a 100% solution-dyed acrylic fabric usable for awning, marine, parasol... It features high water repellence, blocks up to 90% of UV-rays, great workability, high durability & abrasion resistance, great dimensional stability and inherent protection against rot and mildew.



**Docril**<sup>®</sup>  
solution dyed acrylic




#### Its UV protection.

Docril has a very compact structure thanks to the number of threads per m<sup>2</sup> and the quality of the fibers, it can block up to 90% of the sun's UV rays.



#### The mass dyeing process

incorporates the pigments inside the fiber molecules, obtaining an intrinsic, uniform, and long-lasting color. The resulting fabrics are hardly affected by UV rays, guaranteeing the persistence and brightness of the color brilliance over years of outdoor exposure. According to current standards, Docril holds the highest score, 7-8, on the blue scale.




**Docril®**  
solution dyed acrylic




#### **Behavior and durability in the open.**

Docril fabrics are suitable for exposure to the elements and for making solar protection systems due to compliance with the demanding EN13561 European standard required to obtain the CE marking for the entire set of materials that form an awning.



#### **Balanced structure.**

Docril fabric presents the perfect balance between Docril fabric has the perfect balance to deliver the required consistency for the body without it being too heavy, ensuring the proper functioning of the assembly where the fabric is installed, such as in the awning hardware.




**Docril®**  
solution dyed acrylic





**Docril® Safe & Clean.**

property gives a protective barrier to the fabric that allows it to be self-cleaning, facilitating its maintenance. This is thanks to its score of 6 in the Oil Test (the highest oil repellency score) combined with the score of 100 in the spray test (the highest water repellency rating). The effect of these two results means that splashes, dry spots, and spills can be easily cleaned with a clean cloth or a soft bristle brush.



**Docril®**  
solution dyed acrylic



<

**Resistance to water penetration.**

Docril fabrics have a water column resistance of 35 cm (amount of water that the fabric supports, accumulated vertically before it begins to filter and drip).

**Excellent breathability.**

Docril fabrics facilitate the circulation of humidity and air, reducing the sensation of heat and at the same time offering a feeling of thermal protection when it is cooler.



**Docril®**  
solution dyed acrylic



**Unbeatable dimensional stability.**

Docril is not deformed by climatic changes or by rolling and unrolling during use.



**Wide range of colors.**

With over 200 solid colors, textured colors and designs.



## WARRANTY

We are fully committed to the quality and resistance of our fabrics. An obvious loss of fabric color from normal exposure conditions, including sun, salinity, and general weather conditions. The warranty covers a possible abnormal loss of strength.

The warranty doesn't cover:

- Additional manufacturing or installation costs (that the installer or retailer might require).
- Any damage resulting from additional treatment performed by a third party.
- Damage due to causes beyond our control: mechanical actions, accidents, abrasive chemical products, misuse, negligence and/or fraudulent actions.
- Improper use and/or installation.
- Negligence due to not following cleaning and maintenance instructions correctly.
- Accidents, fire, weathering, negligence, hurricanes and floods, air pollution, or other conditions and misfortunes beyond the reasonable control of Citel, S.L.U.

The guarantee of the Docril® fabric for application as SUN PROTECTION – AWNINGS is 10 years.

The guarantee of the Docril N® fabric for application as a WATERPROOF FABRIC FOR NAUTICA AND AWNING is 5 years.